



Rolling and Exporting
600
different steel products to
100
countries all over the world.



“

**Today we are more
powerful than before.**

We will always keep improving
ourselves to become the best partner
for your business and to enhance our
common success in the future.

”





COMPANY PROFILE AND ACTIVITIES

CAGCELİK IRON AND STEEL INC.


was founded in 1978. Today we are one of the leading manufacturer in iron and steel industry and proud to support Turkish economy with more than 500 employee, 2 hot rolling production lines working with highest technology in 50.000m² area, 500.000 tons production capacity per annum and exporting our 600 kinds of steel products to more than 100 countries all over the world.

With its innovative, customer-oriented and competitiveness approach, reliable, honest and teamwork skills, Cagcelik keeps moving forward in becoming a well-known company throughout the world.

We are certified by ISO 14001 Environmental Management System Certification, OHSAS 18001 Occupational Health and Safety Management System Certification beside the ISO 9001:2000 Quality Management System and CE certification to keep our sustainability. Our company will be also certified with ISO 27001 Information Safety Management System Certification and TS ISO 16949 Quality Management System Certification.



First by respecting human and the environment, we will continue to hard work to transform the limited resources of our world into production and service in the most efficient way..



Manufacturing

600

different steel products in
3 Main Categories

Turkey

Discover
the potential

HOT ROLLED PRODUCTS

Our Company is well known in national and global market providing quality and customer satisfaction with a wide range of product types as equal angle bars, flat bars, square bars, round bars, UAC, IPE, HEA, HEB, IPN and UPN profiles, special section profiles.

COLD DRAWN PRODUCTS

We have completed our new investments for producing from coil to bars combine drawing machine, from bar to bar full automation machine and equipments and started to serve our service to many industries as direct supplier. We will answer to qualified semi-material requirements of lots of different industries with shafting bars, carbon steels, alloyed steel productions


WIRE AND NAIL PRODUCTS

Industrial wire, high and low carbon wire products, annealed and bright wire, different dimensions and type of nails are some of our products. Our products are being preferred in national and in global market. Our current wire and products production area in 5.000 m² , will start working with twice more capacity after completed our new investments until the end of year 2017. We are planning to built a hot dip galvanised wire production facility in this investment also.

HOT ROLLED MERCHANT BARS AND PROFILES



- FLAT BARS
- EQUAL ANGLE BARS
- ROUND BARS
- SQUARE BARS



- UPN PROFILES
- UAC PROFILES
- IPN PROFILES
- IPE PROFILES
- HEA PROFILES
- HEB PROFILES




A1.1. FLAT BARS

> Range of the Sizes in inch
(width x thickness)

a	b									
1/2	1/8	3/16	1/4	5/16	3/8					
5/8	1/8	3/16	1/4	5/16	3/8					
3/4	1/8	3/16	1/4	5/16	3/8	1/2				
7/8	1/8	3/16	1/4	5/16	3/8	1/2				
1	1/8	3/16	1/4	5/16	3/8	1/2				
1 1/4	1/8	3/16	1/4	5/16	3/8	1/2	5/8			
1 1/2	1/8	3/16	1/4	5/16	3/8	1/2				
1 3/4	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4		
2	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	
2 1/4	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	
2 1/2	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
2 3/4	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
3	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
3 1/4	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	
3 1/2	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	
4	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	
4 1/4	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	
4 1/2	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	
4 3/4	1/4	5/16	5/16	1/2	5/8	3/4	1	1 1/4	1 1/2	
5	1/4	5/16	5/16	1/2	5/8	3/4	1	1 1/4	1 1/2	
6	1/4	5/16	5/16	1/2	5/8	3/4	1	1 1/4	1 1/2	

HOT ROLLED
MERCHANT BARS



HOT ROLLED MERCHANT BARS

> Range of the Sizes in mm (width x thickness)

a	b											
12	3.00	4.00	5.00	6.00	7.00	8.00						
14	3.00	4.00	5.00	6.00	8.00							
16	3.00	4.00	5.00	6.00	8.00							
20	3.00	4.00	5.00	6.00	8.00	10.00	12.00					
25	3.00	4.00	5.00	6.00	8.00	10.00	12.00					
30	3.00	4.00	5.00	6.00	8.00	10.00	12.00	15.00	20.00			
35	3.00	4.00	5.00	6.00	8.00	10.00	12.00	15.00	20.00			
40	3.00	4.00	5.00	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	
50	3.00	4.00	5.00	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	
60	5.00	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00		
70	5.00	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00		
80	5.00	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00	
90	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
100	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
110	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
120	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
130	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
140	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
150	6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00		
160	6.00	8.00	10.00	12.00	15.00							

> Quality



Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A1.2. EQUAL ANGLE BARS

> Range of the Sizes in inch (width x thickness)

b	s		
3/4 x 3/4	1/8	3.16	1/4
1 x 1	1/8	3.16	1/4
1 1/4 x 1 1/4	1/8	3.16	1/4
1 1/2 x 1 1/2	1/8	3.16	1/4
1 3/4 x 1 3/4	1/8	3.16	1/4
2 x 2	1/8	3.16	1/4
2 1/2 x 2 1/2		3.16	1/4

> Rolling Tolerances

DIN 1028, A6

> Range of the Sizes in mm (width x thickness)

b	s				
19 x 19	2.20	2.50	2.70	3.00	
20 x 20	2.20	2.50	2.70	3.00	4.00
25 x 25	2.20	2.50	2.70	3.00	4.00
30 x 30	2.30	2.50	2.70	3.00	4.00
35 x 35	2.30	2.50	2.70	3.00	4.00
40 x 40	2.50	2.70	3.00	4.00	5.00
45 x 45	2.50	2.70	3.00	4.00	5.00
50 x 50	2.50	2.70	3.00	4.00	5.00
60 x 60	4.00	5.00	6.00	7.00	
63 x 63	5.00	6.00	7.00		

HOT ROLLED
MERCHANT BARS



> Quality



Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A1.3. ROUND BARS

> Range of the Sizes in inch (diameter)

1/4	9/16	15/16	1-1/8	1-7/8	2-1/2
5/16	5/8	1	1-1/4	2	3-1/2
3/8	11/16	1-3/16	1-3/8	2-1/16	4
7/8	3/4	1-1/16	1-1/2	2-1/8	
1/2	13/16	1-5/8	1-3/4	2-1/4	

> Range of the Sizes in mm (diameter)

8	20	30	42	55	90
10	22	32	44	60	100
12	24	34	45	65	110
14	25	36	46	70	120
16	26	38	48	75	
18	28	40	50	80	

> Rolling Tolerances

DIN 1013, A6

HOT ROLLED
MERCHANT BARS



> Quality



Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A1.4. SQUARE BARS

> Range of the Sizes in inch (width x thickness)

1/4 x 1/4	5/8 x 5/8	1x1	1-1/2 x 1-1/2	2-1/8 x 2-1/8
5/16 x 5/16	11/16 x 11/16	1-3/16 x 1-3/16	1-5/8 x 1-5/8	2-1/4 x 2-1/4
3/8 x 3/8	3/4 x 3/4	1-1/16 x 1-1/16	1-3/4 x 1-3/4	3 x 3
7/6 x 7/6	13/16 x 13/16	1-1/8 x 1-1/8	1-7/8 x 1-7/8	
1/2 x 1/2	7/8 x 7/8	1-1/4 x 1-1/4	2 x 2	
9/16 x 9/16	15/16 x 15/16	1-3/8 x 1-3/8	2-1/16 x 2-1/16	

> Range of the Sizes in mm (width x thickness)

6 x 6	11 x 11	18 x 18	28 x 28	50 x 50	80 x 80
7 x 7	11.5 x 11.5	20 x 20	30 x 30	55 x 55	
7.5 x 7.5	12 x 12	22 x 22	32 x 32	60 x 60	
8 x 8	13 x 13	24 x 24	35 x 35	65 x 65	
9 x 9	14 x 14	25 x 25	40 x 40	70 x 70	
10 x 10	16 x 16	26 x 26	45 x 45	75 x 75	

> Rolling Tolerances

DIN 1014, A6

HOT ROLLED
MERCHANT BARS



> Quality



Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A2.1. UPN PROFILES

> Range of the Sizes

	h	b	t
UPN 160	160	65	7.5 mm
UPN 180	180	70	8.0 mm
UPN 200	200	75	8.5 mm
UPN 220	220	80	9.0 mm
UPN 240	240	85	9.5 mm
UPN 260	260	90	10.0 mm
UPN 280	280	95	10.0 mm
UPN 300	300	100	10.0 mm
UPN 320	320	105	14.0 mm
UPN 350	350	100	14.0 mm
UPN 400	400	110	14.0 mm

> Rolling Tolerances

EN 10279

A2.2. UAC PROFILES

> Range of the Sizes

	kg/mt	h	b
UAC 30	1.45	30	15
UAC 35	1.8	35	17.4
UAC 40	2.09	40	20
UAC 50	3.09	50	25
UAC 60	4.02	60	30
UAC 70	6.1	70	39.3

HOT ROLLED
PROFILES



> Quality Standard

EN 10025

> Quality

S275JR/S235JR/S355JR/S355J2/ASTM A36



Please ask for availability of other sizes, other Steel Qualities.

A2.3. IPN PROFILES

> Range of the Sizes

	h	b	t
IPN 160	160	74	6.3 mm
IPN 180	180	82	6.9 mm
IPN 200	200	90	7.5 mm
IPN 220	220	98	8.1 mm
IPN 240	240	106	8.7 mm
IPN 260	260	113	9.4 mm
IPN 280	280	119	10.1 mm
IPN 300	300	125	10.8 mm
IPN 320	320	131	11.5 mm
IPN 340	340	137	12.2 mm
IPN 360	360	143	13.0 mm
IPN 380	380	149	13.7 mm
IPN 400	400	155	14.4 mm
IPN 450	450	170	16.2 mm
IPN 500	500	185	18.0 mm

> Rolling Tolerances

EN 10024

A2.4. IPE PROFILES


> Range of the Sizes

	h	b	s	t
IPE 160	160	82	5.0	7.4 mm
IPE 180	180	91	5.3	8.0 mm
IPE 200	200	100	5.6	8.5 mm
IPE 220	220	110	5.9	9.2 mm
IPE 240	240	120	6.2	9.8 mm
IPE 270	270	135	6.6	10.2 mm
IPE 300	300	150	7.1	10.7 mm
IPE 330	330	160	7.5	11.5 mm
IPE 360	360	170	8.0	12.7 mm
IPE 400	400	180	8.6	13.5 mm
IPE 450	350	190	9.4	14.6 mm
IPE 500	500	200	10.2	16.0 mm
IPE 550	550	210	11.1	17.2 mm

> Rolling Tolerances

EN 10034

HOT ROLLED
PROFILES



> Quality Standart

EN 10025

> Quality

S275JR/S235JR/S355JR/S355J2/ASTM A36



Please ask for availability of other sizes, other Steel Qualities.

A2.5. HEA PROFILES

> Range of the Sizes

	h	b	s	t
HEA 120	114	120	5.0	8.0 mm
HEA 140	133	140	5.5	8.5 mm
HEA 160	152	160	6.0	9.0 mm
HEA 180	171	180	6.0	9.5 mm
HEA 200	190	200	6.5	10.0 mm
HEA 220	210	220	7.0	11.0 mm
HEA 240	230	240	7.5	12.0 mm
HEA 260	250	260	7.5	12.5 mm
HEA 280	270	280	8.0	13.0 mm
HEA 300	290	300	8.5	14.0 mm

> Rolling Tolerances

EN 10034

A2.6. HEB PROFILES


> Range of the Sizes

	h	b	s	t
HEB 120	120	120	6.5	11.0 mm
HEB 140	140	140	7.0	12.0 mm
HEB 160	160	160	8.0	13.0 mm
HEB 180	180	180	8.5	14.0 mm
HEB 200	200	200	9.0	15.0 mm
HEB 220	220	220	9.5	16.0 mm
HEB 240	240	240	10.0	17.0 mm
HEB 260	260	260	10.0	17.5 mm
HEB 280	280	280	10.5	18.0 mm
HEB 300	300	300	11.0	9.0 mm

> Rolling Tolerances

EN 10034

HOT ROLLED
PROFILES



> Quality Standart

EN 10025

> Quality

S275JR/S235JR/S355JR/S355J2/ASTM A36



Please ask for availability of other sizes, other Steel Qualities.

COLD DRAWN PRODUCTS



- FLAT BARS
- ROUND BARS
- SQUARE BARS
- HEXAGONAL BARS





A3.1. FLAT BARS

> Range of the Sizes in inch (width x thickness)

b	a						
1/2	1/8	3/16	1/4				
5/8	1/8	3/16	1/4				
3/4	1/8	3/16	1/4	5/16			
7/8	1/8	3/16	1/4	5/16			
1	1/8	3/16	1/4	5/16	3/8		
1 1/4	1/8	3/16	1/4	5/16	3/8		
1 1/2	1/8	3/16	1/4	5/16	3/8	1/2	
1 3/4	1/8	3/16	1/4	5/16	3/8	1/2	
2	1/8	3/16	1/4	5/16	3/8	1/2	
2 1/4	3/16	1/4	5/16	3/8	1/2	5/8	
2 1/2	3/16	1/4	5/16	3/8	1/2	5/8	
2 3/4	3/16	1/4	5/16	3/8	1/2	5/8	
3	1/4	5/16	3/8	1/2	5/8	3/4	


> Cold Drawing Tolerances

h9 / h11

> Range of the Sizes in inch (width x thickness)

b	a										
12	3	4	5	6							
14	3	4	5	6	8						
16	3	4	5	6	8						
20	3	4	5	6	8	10					
25	3	4	5	6	8	10					
30	3	4	5	6	8	10					
35	3	4	5	6	8	10					
40	3	4	5	6	8	10	12	15			
50	3	4	5	6	8	10	12	15	20	30	
60	5	6	8	10	12	15	20	30			
70	5	6	8	10	12	15	20	30			
80	6	8	10	12	15	20	30				

COLD DRAWN
PRODUCTS



> Quality



Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A3.2. ROUND BARS

> Range of the Sizes in inch (width x thickness)

1/4	9/16	7/8	1-1/8	1-3/4	2-1/4
5/19	5/8	15/16	1-1/4	1-7/8	2-1/2
3/8	11/16	1	1-13/8	2	3
7/16	3/4	1-3/16	1-1/2	2-1/16	
1/2	13/16	1-1/16	1-5/8	2-1/8	

> Range of the Sizes in mm (width x thickness)

6	18	28	40	50	80
8	20	30	42	55	
10	22	32	44	60	
12	24	34	45	65	
14	25	36	46	70	
16	26	38	48	75	

> Cold Drawing Tolerances

h9 / h11

COLD DRAWN
PRODUCTS



> Quality

 Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A3.3. SQUARE BARS

> Range of the Sizes in inch (width x thickness)

1/4 x 1/4	1/2 x 1/2	3x4	1x1	1-1/4 x 1-1/4
5/16 x 5/16	9/16 x 9/16	13/16 x 13/16	1-3/16 x 1-3/16	1-3/8 x 1-3/8
3/8 x 3/8	5/8 x 5/8	7/8 x 7/8	1-1/16 x 1-1/16	1-1/2 x 1-1/2
7/8 x 7/8	11/16 x 11/16	15/16 x 15/16	1-1/8 x 1-1/8	

> Range of the Sizes in mm (width x thickness)

6 x 6	9 x 9	12 x 12	20 x 20	26 x 26	35 x 35
7 x 7	10 x 10	14 x 14	22 x 22	28 x 28	40 x 40
7.5 x 7.5	11 x 11	16 x 16	24 x 24	30 x 30	10 x 10
8 x 8	11.5 x 11.5	18 x 18	25 x 25	32 x 32	

> Cold Drawing Tolerances

h9 / h11

COLD DRAWN
PRODUCTS



> Quality

 Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

A3.4. HEXAGONAL BARS


> Range of the Sizes in mm
(width x thickness) x espesor

16	20	22	27	32	37
18	21	25	30	35	40

> Cold Drawing Tolerances

h9 / h11

COLD DRAWN
PRODUCTS




> Quality

 Please ask for availability of other sizes, other Steel Qualities.

ASTM A36, ASTM A615, ASTM A572, S235JR, S275JR, S355JR, S355J2
SAE 1010/1020/1030/1035/1040/1045/1060, ST 37-2, ST 44-2, ST 52-3, ST 60

WIRE AND NAIL PRODUCTS



- CONSTRUCTION NAILS
- RING NAILS
- LOST HEAD NAILS
- HELICAL NAILS
- MACHINE NAILS

- BLACK ANNEALED WIRE
- REINFORCEMENT WIRE
- BRIGHT WIRE
- STRAND WIRE
- TWISTED SQUARE BARS
- COLD ROLLED FLAT BARS





C1.1. CONSTRUCTION NAILS


d	L	D
1.25	16	3.00
	20	
	25	
1.40	20	3.50
	25	
	32	
	36	
1.60	32	4.50
	36	
	40	
1.80	40	4.50
2.00	40	5.00
2.24	45	5.50
	50	5.50
2.50	50	6.00
	56	6.00
	60	6.00
	63	6.00
	60	7.00
2.80	73	7.00
	70	7.00
3.10	90	8.00
3.15	80	8.00
3.55	90	9.00
4.00	100	10.00
	110	10.00
	120	10.00
4.50	130	11.00
5.00	140	12.00
	150	12.00

C1.2. RING NAILS

d	d1	L	D
2.50	2.80	32	6.30
		40	
2.80	3.10	32	7.00
		40	
		42	
		50	
		55	
		60	
		70	
3.10	3.50	32	7.00
		35	
		38	
		40	
		42	
		45	
		50	
		55	
		60	
		65	
3.10	3.50	70	7.00
		75	
		80	
3.40	4.00	90	8.70
		70	
		90	

d	d1	L	D
3.60	4.20	38	9.00
		40	
		42	
		45	
		50	
		60	
		70	
		80	
		90	
		100	

WIRE AND NAIL
PRODUCTS



> Quality

SAE 1006 / 1008 / 1010

> Packing

In the box of 5 or 10 or 25 kgs

C1.3. LOST HEAD NAILS


d	L	D
1.20	16	1.80
	20	
1.25	25	1.80
1.40	20	2.10
	25	
	32	
	36	
1.60	32	2.40
	36	
	40	
	40	
1.80	45	2.70
	50	
2.00	50	3.40
	45	
2.24	50	3.40
2.50	50	3.80
	56	
	60	
2.80	63	4.20
	70	
3.15	80	4.70

C1.4. HELICAL NAILS

d	d1	L	D
2.50	2.80	50	6.30
		55	
		60	
		65	
		70	
2.80	3.10	50	7.00
		55	
		60	
		65	
		70	
3.10	3.50	50	7.00
		60	
		65	
		70	
		80	
3.40	4.00	65	8.00
		70	
		80	
		85	
		90	

d	d1	L	D
3.60	4.20	60	9.00
		70	
		80	
		90	
4.00	5.20	70	9.00
		90	

WIRE AND NAIL
PRODUCTS



> Quality

SAE 1006 / 1008 / 1010

> Packing

In the box of 5 or 10 or 25 kgs

C1.5. MACHINE NAILS

d	L	D
2.24	45	5.50
	50	
2.50	40	6.30
	45	
	50	
	56	
	60	
	63	
2.80	70	7.00
	55	
	60	
	63	
3.15	70	7.00
	80	
3.10	80	7.00
3.55	90	9.00
2.24	40	5.50
	45	

d	L	D
2.50	40	10.00
	45	
	50	
	56	
	60	
	63	
2.80	53	11.00
	54	
	60	

WIRE AND NAIL
PRODUCTS



> Quality

SAE 1006 / 1008 / 1010

> Packing

In the box of 5 or 10 or 25 kgs

WIRE AND NAIL PRODUCTS

C2.1. BLACK ANNEALED WIRE

> Wire Diameter in mm

1.00	1.20	1.50	2.00	2.80
1.10	1.30	1.80	2.50	3.00

C2.2. REINFORCEMENT WIRE

> Wire Diameter in mm

3.00	4.00	5.00	6.00
3.50	4.50	5.50	7.00

C2.4. STRAND WIRE


> Wire Diameter in mm

1.00	1.20
1.10	1.30

C2.3. BRIGHT WIRE

> Wire Diameter in mm

2.00	4.00	6.00	7.00
3.10	5.00	6.50	8.00



> Quality

SAE 1006 / 1008

> Packing

5 to 100 kgs / coil

C2.5. TWISTED SQUARE BARS

➤ Wire Diameter in mm


4,00 x 4,00	5,50 x 5,50	6,50 x 6,50	8,00 x 8,00
5,00 x 5,00	6,00 x 6,00	7,00 x 7,00	10,00 x 10,00

C2.6. COLD ROLLED FLAT BARS

➤ Size in mm (width x thickness)

3x2-3	6x2-3-4	9x2-3-4	12x3-4	15x3-4
4x2-3-4	7x2-3-4	10x3-4	13x3-4	16x3
5x2-3-4	8x2-3-4	11x3-4	14x3-4	

WIRE AND NAIL
PRODUCTS



➤ Quality

SAE 1008 / 1010

➤ Packing

in coils of max 1500 kgs
cut to length of 1000 - 6050 mm in teh
bundles of max 1500 kgs

QUALITY MANAGEMENT CERTIFICATES


Our company is committed to provide innovative, professional, efficient service and high quality to ensure the satisfaction of all of the requirements of our clients. This achievement will result in securing efficiency, a strong customer focus and enhancement of long-term sustainability and profitability within the Organisation.





WE ARE THE SUPPLIER OF
11 MAIN INDUSTRIES
IN NATIONAL AND INTERNATIONAL MARKET







Head Office

Esensehir Emek Mahallesi, Nato Yolu Caddesi,
No: 286 Sancaktepe / ISTANBUL / TURKEY



+90 216 364 43 00 (pbx)



+90 216 420 38 53



Mill

Universite Mahallesi, Kamil Gülec Caddesi,
No: 41 KARABUK / TURKEY



+90 370 433 80 00 (pbx)



+90 370 433 14 73

www.cagcelik.com.tr